

# Safety Data Sheet



PEKA  
CHEMIE  
INDUSTRIAL COMPANY

June 06, 2020

4<sup>th</sup> Edition

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: Epoxy-Polyester Powder coatings  
Recommended Use: Applied by electrostatic spray.  
Supplier: Peka Chemie Industrial Co.  
Zip code: 18341-73355  
Street Address: No.TM55, BooAli Sina St., Baharestan Blvd., 4<sup>th</sup> Phase of Shams Abad industrial Town, 35<sup>th</sup> Km Qom - Tehran highway -Iran  
Telephone Number: +9821-83824  
Fax: +9821-83203496

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion	Risk Phrases
Carboxylic polyester resin	25135-73-3	30-70%	-
Epoxy resin	215-535-7	20-45%	
Extenders/fillers	231-784-4	10-25%	
Pigments	-	1-10%	-
Titanium Dioxide	236-675-5	2-25 %	
Ingredients determined not to be hazardous	-	to 100%	-

## 3. HAZARDS IDENTIFICATION SUPPLIER

### Risk Phrases:

Harmful by inhalation and if swallowed. Irritating to eyes. May cause sensitisation by inhalation and skin contact. May cause heritable genetic damage.

### Safety Phrases:

Do not breathe dust. Avoid contact with skin and eyes. Wear suitable protective clothing and eye/face protection.

### Poisons Schedule:

None allocated.

## 4. FIRST AID MEASURES

### Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Effects may be delayed.

### Skin Contact:

If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water. If swelling, redness, blistering or irritation occurs seek medical assistance .

### Eye Contact:

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes.

# Safety Data Sheet



PEKA  
CHEMIE  
INDUSTRIAL COMPANY

June 06, 2020

4<sup>th</sup> Edition

## Ingestion:

Rinse mouth with water. If swallowed, give a glass of water to drink. Seek immediate medical assistance.

## Medical attention and special treatment:

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

### Suitable Extinguishing Media:

Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

## 6. HANDLING AND STORAGE

### Conditions for safe storage:

Store in a cool, dry, well ventilated place and out of direct sunlight.

## 7. ACCIDENTAL RELEASE MEASURES

### Emergency procedures:

If contamination of sewers or waterways has occurred advise local emergency services.

### Methods and materials for containment and clean up:

Wear protective equipment to prevent skin and eye contact and breathing in dust. Work up wind or increase ventilation.

Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Skin protection:</b>	Cotton clothing
<b>Dust control:</b>	Recommended
<b>Leak or spill procedure:</b>	Collect to tray or vacuum cleaner
<b>Storage requirements:</b>	At ambient in a shed and ventilated location
<b>Engineering control:</b>	Adequate ventilation

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Powder
<b>Odour:</b>	No unpleasant odour
<b>Solubility:</b>	Insoluble in water.
<b>Specific Gravity:</b>	1.6 ±0.05 @20°C
<b>Particle size:</b>	10-90um (>80%, laser analyzer)
<b>Ignition temperature of a dust/air mixture:</b>	450-600°C
<b>Flash Point (°C):</b>	Not applicable
<b>Solubility in water (g/L):</b>	Insoluble

# Safety Data Sheet



PEKA  
CHEMIE  
INDUSTRIAL COMPANY

June 06, 2020

4<sup>th</sup> Edition

## 10. STABILITY AND REACTIVITY

### Chemical stability:

Stable under normal conditions of use.

### Conditions to avoid:

Avoid contact with foodstuffs. Avoid exposure to heat, sources of ignition, and open flame.

### Incompatible materials:

Incompatible with oxidizing agents.

### Hazardous decomposition products:

Oxides of carbon. Oxides of nitrogen.

### Hazardous reactions:

Hazardous polymerization will not occur.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

### Ingestion:

Swallowing can result in nausea, vomiting, diarrhea, and abdominal pain.

### Eye contact:

An eye irritant.

### Skin contact:

Contact with skin may result in irritation. A skin sensitizer. Repeated or prolonged skin contact may lead to allergic contact dermatitis.

### Inhalation:

Breathing in dust may result in respiratory irritation. A respiratory sensitizer. Can cause possible allergic reactions, producing asthma-like symptoms.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity:

Avoid contaminating waterways.

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods:

Refer to Waste Management Authority. Dispose of material through a licensed waste contractor. Normally suitable for disposal at approved land waste site.

# Safety Data Sheet

June 06, 2020

4<sup>th</sup> Edition



PEKA  
CHEMIE

INDUSTRIAL COMPANY

## 14. TRANSPORT INFORMATION

	ADR/RID	IMDG	IATA
UN Number	UN1263	UN1263	UN1263
UN proper shipping name	Paint	Paint	Paint
Transport hazard class(es)	3	3	3
Environmental hazards	No	No	No

## 15. REGULATORY INFORMATION

### Classification:

Based on available information, not classified as hazardous; NON-HAZARDOUS SUBSTANCE

### Poisons Schedule:

None allocated

## 16. OTHER INFORMATION

If clarification or further information is needed, the user should contact our Peka Chemie technical team or can visit our website ([www.pekachemie.com](http://www.pekachemie.com)).